

#### Traceability Matrix with Analytics Blueprint 10.1 Storyteller 4.1

#### Contents

Overview	3
Prerequisites	3
Steps	4

#### Overview

A traceability matrix (or gap analysis) allows users to identify the traces, links, or gaps between a specified set of artifacts. There are numerous benefits and use cases that stakeholders leverage when creating a traceability matrix. These include minimizing risk and rework to your products or projects by ensuring that artifacts that are being used to define your solution to IT (i.e. Features, Epics, User Stories), have the traces they need to things like compliance artifacts, non-functional requirements, or business rules.

Identifying where gaps exist as early as possible, allows for your teams to take action to shore them up prior to development execution, drastically reducing downstream costs and delays.

AutoSave 🔍 🖬 🦘 💸 🔹	SourcesConnected	- Gap Analysis - Ex	cel (Unlicensed Produc	ct)		PivotTab	le Tools					1			Aman Bhalla	- 1	o ×
File Home Insert Draw Page Layout Formulas	Data Review		Micro Focus ALM U	pload Add-in	Power Pivot	Analyze	Design	Tell me what yo	u want to do								년 Sha
ProstTable Name ProstTable2 Profile Settings Profile Settings	→ Group Selection  Ungroup  Group Field  Group	Insert Slicer Timeline Filter	Connections ·	Change Data Source * Data	Clear Select Actio	PivotTable	Fields, Items, & Sets *	OLAP Relationship Tools *	PivotChart	Recommended PivotTables Tools	Field List E	+/- Field Buttons Headers Show					
A27 * : × ✓ & International Restric	tions																
A A	P	C		D	E		F	G		н	i	1.1	K	1.1	М	N	0
	rport Improvement Fer		Ps.doc Applicant Age			time Apply fo			Card Online		Apply Onli	ine Apply via ma		on Book Flig			
6 Account Preference Options     Anaport Improvement Fee     Anaport Improvement Fee     Anaport Improvement Fee     Anaport Bank Preference Fee     Anaport Bank Preference Fee     Applications Processed Instant 2 days     Applications Processed Instant 3 days     Applications Processed Instant 1 days     Applications Processed     Applications Processed     Applications Processed     Applications			1		1			1	2					1 •	1	1	
20 Details & Properties Defined On Create 21 Details & Properties Defined On Create - Folder from Home 22 Details & Properties Visible On View 23 Encloyees (an apply 24 Federal Taxas 25 Filight Check-in 24-Hour Rule 25 Filight Check-in 24-Hour Rule 26 Filed Surtas																1	
22 International Retrictions 23 International Texting 24 Mark Payment 29 Mark Payment 30 Modify Una dPW 31 Online Flight Check-in 32 PW Foresat say and fast for customers 33 PW Format 34 Repected Applications get Latter		1				1									4	1	
Astrieve Flight Status     Astrianse Status     Second Status     Successful Applicants are sent package     Svstem available for customers																1	
J Transit Tax 10 User ID and PW Creation 11 User ID Format 12 Ways to about for credit										1		1	1			1	
42 Ways to apply for credit 43 Grand Total		1	1		2	1		1	2	1		1	1	1	5 1	6	
↔ Sheet1 ↔		-			1			1	•			-	1				F

Users can create a traceability matrix outside the Storyteller interface by using Analytics, in conjunction with most BI (Business Intelligence) tools like Microsoft Excel's PowerPivot.

#### **Prerequisites**

To create a traceability matrix, users should:

- Have Blueprint Analytics installed and licensed
- Have access to, and a good understanding of how to connect your BI tool to Blueprint Analytics
- Have projects and users configured accordingly with permissions set to provide data for Blueprint Analytics.
   For more information on configuring projects and users for Analytics, see the Blueprint Analytics User Guide.

#### Steps

Microsoft Excel's PowerPivot is used for this tutorial and example to create a traceability matrix on Functional Requirements and Business Rules to see what the gap analysis looks like between the two and ensure that all Functional Requirements are linked to Business Rules.

- 1. Initiate Analytics in Storyteller or Blueprint.
- 2. Launch Microsoft Excel's PowerPivot.
- 3. Import your Blueprint data into Microsoft Excel by creating a data source connection.

For the traceability matrix we want to create, we pull in the following tables in order to have a source:

- Artifacts
- ArtifactTraces
- CollectionItems
- Collections
- DimDates
- Groups
- GroupUsers
- InstanceFolders
- ProjectInstanceHierarchy
- UserCustomPropertyGroupValues
- UserCustomPropertyUserValues
- Users

For a step-by-step guide on how to import Blueprint data into PowerPivot, see the **Importing Blueprint data in PowerPivot** section in the **Blueprint Analytics User Guide**.

4. Create an additional data source connection in order to be able to pivot on a source and a target artifact for the trace matrix.

For the Functional Requirements to Business Rules traceability matrix we want to create, we import Artifacts as the source table for our additional data source and rename it to Artifacts 1. This gives us a target artifact to pivot on.

-	Source Table	Friendly Name	Fiter Details
	Atfacts	Atfacts 1	
	AtfactTraces		
	CollectionItems		
	Collections		
	DimDates		
	Groups		
	GroupUsers		
	InstanceFolders		
	ProjectInstanceHierarchy		
	UserCustomPropertyGroupVa		
	UserCustomPropertyUserVal		
	Users		

5. Import both feeds.

**Note**: The import time depends on the amount of data being imported.

6. Perform a table join from the Artifacts table (Source), to the ArtifactTraces table, and subsequently, to the Artifacts 1 table (Target).

This procedure connects the Artifacts table (the source that holds the artifact information like the ArtifactTypeName, ArtifactTypeId, and other attributes) to the ArtifactTraces table (that holds all the trace information such as what kind of TraceTypeIds are associated as a source, what kind of traces are suspect, etc.) and the Artifacts 1 table which is the additional data source and table we pulled in that handles all the information for the targets of the trace.

To perform this table join in PowerPivot:

- a. Click Diagram View in the Home ribbon
- b. Connect the ItemId from the Artifacts table (the source) to the SourceArtifactId in the ArtifactsTraces table (the traces table).



c. Connect the ItemId from the Artifact1 table (the target table) to the TargetArtifactId in the ArtifactTraces table (the trace table).

This creates the connection between the source and target artifacts that reside within a trace relationship.



- 7. Create a pivot table in your spreadsheet. In Excel, click Insert > Pivot Table.
- 8. In the PivotTable fields side panel on the right, you have access to all the tables that you imported through Blueprint Analytics. Create filters to optimize the size of the matrix.

In this example we filter based on ProjectName and ArtifactTypeName to display a limited set of artifact types within specific projects.

PivotTable Field	S	- ×
Active All		
Choose fields to add to repo	ort:	- (h v
artifact		×
<ul> <li>ItemId</li> <li>ItemName</li> <li>VersionNumber</li> <li>ArtifactTypeld</li> <li>ArtifactTypeNam</li> <li>PrimitiveItemTyp</li> <li>PrimitiveTypeNar</li> <li>CreatedOn</li> <li>CreatedOnDateKe</li> <li>CreatedBy</li> </ul>	ePredefined ne	
CreatedByName		-
Drag fields between areas b	elow:	
▼ Filters	III Columns	
ProjectName   ArtifactTypeName		
Rows	$\Sigma$ Values	

- 110103	~ 10005	
Defer Layout Update	Update	

9. Further filters are needed to actually create the traceability matrix.

Because we want to create a traceability matrix on Functional Requirements linked to Business Rules, filter based on Business Rule, Functional Requirement, and Business Need.

A1	Ŧ	:	×	√ f <sub>x</sub>	ProjectN	lame	
	A		В	С	D	E	F
1 Proj	ectName		All 🔻				
2 Arti	factTypeN	lame	All 🔻	]			
Search A	ArtifactType	Name					<b>₽</b> ~
	Baseline Baseline Baseline Business Business Business Corp Sec Customer Do Customer Documer Documer Comain [ Epic (Dor Escalation Feature Feature Feature Feature Folder Function Generic [	Need Process Require Rule urity r Interace Campa nt nt (1) Diagram n't Use) n Agile Pa al Requ	Diagra ment tion ign ck)	m			~
🗹 Selea	t Multiple	tems					
					OK	Cano	el

As all attributes are at your disposal, you can filter on anything you choose to create your own trace matrix. For example, you could filter by Artifact Name and Artifact Type to confirm that artifacts are traced to Non-Functional Requirements and Regulations.

- 10. In this example, we want to focus on the Artifact ID names, so we make the ItemName the source along the y-axis.
- 11. Create the target by plotting it along the x-axis. In this case, we take the ItemName from the Artifacts 1 table (the target table).
- 12. In the Values field, we define where we want to see traces between the artifacts.

PivotTable	e Field	S	*	×
Choose fields to a	add to repo	ort:		∯ <b>*</b>
Relationships be	tween tabl	es may b	e needed.	×
	Auto-Det	tect	CREATE	
artifact				×
<ul> <li>Artifacts</li> <li>Artifacts 1</li> </ul>				-
ArtifactTra	tTraceId			
Target/	ArtifactId			w
Drag fields betwe	een areas b	elow:		
▼ Filters			umns	
ProjectName ArtifactTypeNa	me 👻	ItemN	ame	·
E Rows		$\Sigma$ Val	ues	
ItemName	*	Sum o	f ArtifactTrac	an <b>Y</b>
Defer Layout	Update			pdate

13. Instead of sum, change the Value Field Settings to Count by clicking Value Field Settings in the contextual menu.



14. Wherever a number is displayed in the table, a trace relationship exists between the source artifact on the y-axis and the target artifact on the x-axis.

	A	В	C	D	E
1	ProjectName	All	Ψ.		
2	ArtifactTypeName	(Multiple Items)	.T		
3					
4	Count of ArtifactTraceId	Column Labels	•		
5	Row Labels	Airport Improvement Fe	Almonte Bank SOPs.de	c Applicant Agreement Screen	Apply at any time
6	Account Preference Options				
7	Airport Improvement Fee				
8	All systems will be secure				
9	Almonte Bank Promotion				
10	Application Process per Standard Procedures			1	
11	Applications Processed less than 2 days				
12	Applications Reviewed by Manager				
13	Apply in Person				
14	Apply Online			1	
15	Apply via mail				
16	Capture Contact Information				
17	Check Flight Status				
18	Credit Check Confirmation			1	

15. You can add as many filters as you like to minimize, expand, and customize the information displayed. For example, you can filter on Property values and attributes to focus on artifacts that have a high risk or a high return if you have an attribute of that nature.

PivotTable Field	s 👻	×
Active All		
Choose fields to add to repo	ert:	} *
Relationships between tabl		×
artifact		×
		•
Drag fields between areas b	elow:	
T Filters	III Columns	
ProjectName *	ArtifactTypeName	Ŧ
ArtifactTypeName 🔻		
E Rows	$\Sigma$ Values	
ltemName 🔻	Count of ArtifactTr	¥
Defer Layout Update	Up	date

**Note**: If a number other than 1 is displayed in your trace matrix, this is because Blueprint Analytics lives at the artifact level and not at the sub-artifact level. All the traces that occur at the sub-artifact level roll up and are aggregated at the artifact level. For example, a business process artifact or visual process model might have traces within sub-artifacts rolling up and to the artifact, like four shapes in a business process model traced to one textual artifact.