Supported Third Party Components

Blueprint supports integration with the following applications:

Server

	5.3	5.4	5.5	6.0	6.1	6.2		
Operating System								
Windows Server 2008	\checkmark	\mathbf{i}	\mathbf{i}	\checkmark	×	×		
Windows Server 2008 R2	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	×		
Windows Server 2012	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark		
Windows Server 2012 R2	×	×	\checkmark	\checkmark	\checkmark	\checkmark		
Database								
SQL Server 2008	\checkmark	\checkmark	\checkmark	\checkmark	×	×		
SQL Server 2008R2 (Service Pack 2 and later)	\checkmark	\mathbf{i}	\mathbf{i}	\mathbf{i}	\mathbf{i}	×		
SQLServer 2012	<	\checkmark	\checkmark	\checkmark	\checkmark	<		
SQL Server 2014	×	×	\checkmark	\checkmark	\checkmark	<		
Web Server								
IIS 7	\checkmark	\checkmark	\checkmark	\checkmark	×	×		
IIS 7.5	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	×		
IIS8	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark		

	5.3	5.4	5.5	6.0	6.1	6.2	
IIS8.5	×	×	\checkmark	\checkmark	\checkmark	\checkmark	
Additional Components							
.Net Framework 4	×	×	×	×	×	×	
.Net Framework 4.5	\checkmark	\checkmark	\checkmark	\checkmark	<	<	
J# 2.0 (2nd Edition)	\checkmark	\checkmark	N/A	N/A	N/A	N/A	

Client

	5.3	5.4	5.5	6.0	6.1	6.2		
Operating System								
WindowsXP	\checkmark	\checkmark	\checkmark	\mathbf{i}	×	×		
Windows Vista	\checkmark	\checkmark	\checkmark	\mathbf{i}	×	×		
Windows 7	\checkmark	\checkmark	\checkmark	\mathbf{i}	\mathbf{i}	\checkmark		
Windows 8	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark		
Mac OS 10.9 and later	×	×	\checkmark	\checkmark	\checkmark	\checkmark		

	5.3	5.4	5.5	6.0	6.1	6.2	
Browser							
Internet Explorer 8	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\mathbf{i}	
Internet Explorer 9	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	
Internet Explorer 10	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	
Internet Explorer 11	×	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	
Firefox 19 and later	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	
Chrome 25 and later (Version 42 (and later) NPAPI needs to be re-enabled)	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	
Safari 7 and later	×	×	\checkmark	\checkmark	\checkmark	\checkmark	
Microsoft Office (Optional, Do	cument	Genera	tion Ten	nplate Au	uthoring	I)	
Office 2007	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	×	
Office 2010	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	
Office 2013	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	
VisioImport/Export(Optional)							
Visio 2010	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	
Visio2013	×	×	×	\checkmark	\checkmark	\checkmark	

About Blueprint

Founded in 2004, Blueprint develops requirements definition and management (RDM) software. With its best-in-class RDM solution, Blueprint helps companies get complex software and IT project requirements right from the start. Blueprint solves many of the time-consuming, costly, and error-prone elements of defining requirements, ensuring that mission critical projects are completed on time and budget. Headquartered in Toronto, Ontario, Blueprint has global sales, operations and partner presence.

General Inquiries and Sales

info@blueprintsys.com 647.288.0700 1.866.979.BLUE(2583) +44 203 051 0432

www.blueprintsys.com